

## CORRECTIONS

### OCCURRENCE AND POPULATION DENSITIES OF NEMATODES ASSOCIATED WITH FORAGE CROPS IN EASTERN CANADA

J.L. Townshend, C.B. Willis, J.W. Potter, and J. Santerre

Volume 53, No. 3, September 1973, p. 131-136

Page 131, column 2, line 23, "inpression" should read "impression".

Page 132, column 2, para. 6, line 3, "lësson" should read "lesion".

Page 134, column 1, lines 4-5, sentence should read:

The needle (L~~ong~~idorus) nematode was found in a single sample from P.E.I. The ring nematode occurred in 69% of the fields sampled in N.B.

## PUBLICATION NOTICE: *FUNGI CANADENSES*

The first fascicle (Nos. 1-10) of Fungi Canadenses was issued November 29th, 1973. The purpose of this new publication is to make available illustrations and more or less standardized accounts of fungi that have been collected in Canada. The format of loose-leaf sheets closely resembles that of CMI Descriptions of Pathogenic Fungi and Bacteria. This continuing publication will be issued at intervals in fascicles of 10 or more sheets, and sent free of charge to institutions where fungi are being actively studied. Exchange publications for Fungi Canadenses will be welcome.

It is regretted that copies cannot be sent to interested individuals because of the labor involved in handling and in maintaining an anticipated large mailing list: but this publication has no copyright and may be reproduced.

About 350 copies of fascicle 1 have been distributed and another 200 copies are available. Requests for institutions to be included on the mailing list should be addressed to the Director, Biosystematics Research Institute, Central Experimental Farm, Ottawa, Ontario, Canada, K1A 0C6.

S. J. Hughes  
Editor  
Fungi Canadenses